

Package: ABACUS (via r-universe)

August 12, 2024

Title Apps Based Activities for Communicating and Understanding
Statistics

Version 1.0.0

Author Mintu Nath [aut, cre]

Maintainer Mintu Nath <dr.m.nath@gmail.com>

Description A set of Shiny apps for effective communication and
understanding in statistics. The current version includes
properties of normal distribution, properties of sampling
distribution, one-sample z and t tests, two samples independent
(unpaired) t test and analysis of variance.

Depends R (>= 3.1.0)

Imports ggplot2 (>= 3.1.0), shiny (>= 1.3.1),

Suggests rmarkdown (>= 1.13), knitr (>= 1.22)

License GPL-3

URL <https://shiny.abdn.ac.uk/Stats/apps/>

VignetteBuilder knitr

RoxygenNote 6.1.1.9000

Encoding UTF-8

NeedsCompilation no

LazyData true

Repository <https://bio-statistics.r-universe.dev>

RemoteUrl <https://github.com/bio-statistics/abacus>

RemoteRef HEAD

RemoteSha 6f9fd9a2e2d577ebee79c570211e88b2784c854

Contents

ABACUS-package	2
shiny_anova	3

shiny_dnorm	4
shiny_dnorm_dt	6
shiny_onesampt	7
shiny_onesampz	9
shiny_sampling	10
shiny_twosampt	12

Index	14
--------------	-----------

ABACUS-package	<i>Apps Based Activities for Communicating and Understanding Statistics</i>
----------------	---

Description

Using Shiny-based apps, ABACUS demonstrates different statistical concepts on sampling and hypothesis testing within a browser environment. It integrates the simulation approach with the graphical presentation to present different statistical tools. The user can alter **Simulation Feature**, **Population Parameters**, **Sample Characteristics** and **Distribution Function** to explore the influence of these changes on sampling and hypothesis testing.

Details

Package: ABACUS
 Type: Package
 Version: 1.0.0
 Date: 2019-07-31
 License: GPL-3

ABACUS uses simulation to explore the statistical principles. There is no need to upload any data. The order of ABACUS functions that can be included in a classroom environment are: [shiny_dnorm](#), [shiny_sampling](#), [shiny_onesampz](#), [shiny_onesampt](#), [shiny_dnorm_dt](#), [shiny_twosampt](#) and [shiny_anova](#).

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Author(s)

Mintu Nath<dr.m.nath@gmail.com>

See Also

[shiny_dnorm](#), [shiny_sampling](#), [shiny_onesampz](#), [shiny_onesampt](#), [shiny_twosampt](#) and [shiny_anova](#)

Description

An interactive Shiny app to demonstrate Analysis of Variance.

Usage

```
shiny_anova()
```

Details

The interactive Shiny app demonstrates the principles of Analysis of Variance. The true parameter values are provided by the user. The user changes sample characteristics, distribution function and simulation features and explores the influence of these changes on the hypothesis testing using principles of analysis of variance.

The left panel includes the user inputs for **Simulation Features**, **Population Parameters**, **Sample Characteristics**, and **Distribution Function**. To use the app at first instance, just click the Update button. To alter the input values, edit the text box or move the point on the slider and explore the changes in different tabs (see below).

To obtain identical outcomes in a separate run of the app, set a common seed value at the bottom of the left panel and click Update. All subsequent updates will produce identical results provided other inputs are identical. The seed value is ignored when the option check the box to update instantly is selected.

Value

The outcomes are presented in several tabs.

Population	contains the density plots of three populations and rug plots of the sample units randomly drawn from these populations. It also shows the population parameter values chosen by the user.
Sample	contains the dot plots and box plots of three samples drawn randomly from the three populations and rug plots of the sample units. It also includes the estimates of mean and standard deviation of three samples.
SS & MS	contains the bar plots showing the between and within sum of squares (SS) and mean squares (MS) as well as the proportion of between and within SS over total SS.
Test Statistic	contains the plots showing the mean difference between groups. and corresponding 95% confidence intervals (CI). The tab also contains the distribution of the test statistic F, the observed value of the test statistic and probabilities under the given value of the Type 1 error

Summary includes the summary of the sampled data and outcomes from the one-way analysis of variance. Different sections are: (1) Hypothesis, highlighting the null and alternative hypothesis; (2) Sample, tabulating the full sampled data; (3) Summary Statistics, summarising the summary information of three samples; (4) Model Outputs, the outputs from fitting the analysis of variance model. The section also present the multiple comparison of means using Tukey's Honest Significant Differences test. This section represents standard R outputs based on fitting an `lm` function.

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Author(s)

Mintu Nath

See Also

Function in base R for normal distribution, F distribution and fitting linear model including `dnorm`, `pnorm`, `qnorm`, `rnorm`, `df`, `pf`, `qf`, `rf`, `lm`, `aov`, `anova.lm`, `summary.lm` `summary.aov`, `model.tables`

Examples

```
if(interactive()){  
  library(ggplot2)  
  library(shiny)  
  library(ABACUS)  
  # Run shiny app  
  shiny_anova()  
}
```

shiny_dnorm

Shiny App to Explore Properties of the Normal Distribution

Description

An interactive Shiny app to demonstrate properties of the Normal distribution.

Usage

`shiny_dnorm()`

Details

The interactive Shiny app demonstrates the properties of Normal distribution. The app considers parameters (mean and standard deviation) of the Normal distribution and captures its properties using different graphical outputs. The user changes the population parameter values, sample characteristics, distribution function and simulation features and explores the influence of these changes on the hypothesis testing.

The left panel includes the user inputs for **Simulation Features**, **Population Parameters**, **Sample Characteristics**, and **Distribution Function**. To use the app at first instance, just click the Update button. To alter the input values, edit the text box or move the point on the slider and explore the changes in different tabs (see below).

To obtain identical outcomes in a separate run of the app, set a common seed value at the bottom of the left panel and click Update. All subsequent updates will produce identical results provided other inputs are identical. The seed value is ignored when the option check the box to update instantly is selected.

Value

The outcomes are presented in several tabs.

Sample	contains the histogram of sampling units randomly drawn from the given population. Increasing the sample size and the number of bins creates the shape of the Normal distribution. It also creates the normal density plot based on empirical data and theoretical normal distribution given the parameter values
Distribution	contains the plot for the probability density function of the Normal distribution with given parameter values. The user can also explore centring and scaling effect on the probability density function.
Probability & Quantile	contains the plots for the probability density function and cumulative probability density function. The user can explore the relationship between the cumulative probability and quantile corresponding to tails of the distribution.

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Author(s)

Mintu Nath

See Also

Function in base R for normal distribution including [dnorm](#), [pnorm](#), [qnorm](#), [rnorm](#).

Function in base R for normal distribution, including [dnorm](#), [pnorm](#), [qnorm](#), [rnorm](#)

Examples

```
if(interactive()){
  library(ggplot2)
  library(shiny)
  library(ABACUS)
  # Run shiny app
  shiny_dnorm()
}
```

shiny_dnorm_dt	<i>Shiny App to Explore Properties of Normal and Student's t Distributions</i>
----------------	--

Description

An interactive Shiny app to demonstrate Normal and Student's t distributions.

Usage

```
shiny_dnorm_dt()
```

Details

The interactive Shiny app demonstrates the properties of Normal and Student's t distributions. The app considers parameters (mean and standard deviation) of the standard Normal distribution along with Student's t distribution given degrees of freedom.

The left panel includes the user inputs for **Parameters** of standard Normal distribution (mean = 0, sd = 1) and Student's t distribution (degrees of freedom), and **Probability** with options to change cumulative probability and tails of probability. To alter the input values, move the point on the slider for the degrees of freedom of t distribution and explore the changes in different tabs (see below).

Value

The outcomes are presented in two tabs.

Probability Density Function

displays the probability density function of the standard Normal distribution (red) and t distribution (blue).

Distribution & Probability

contains the plot for the probability density function of the standard Normal distribution and Student's t distribution with given degrees of freedom.

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Author(s)

Mintu Nath

See AlsoFunction in base R for normal distribution, including [dnorm](#), [pnorm](#), [qnorm](#), [rnorm](#) [dt](#), [pt](#) [qt](#), [rt](#)**Examples**

```
if(interactive()){  
  library(ggplot2)  
  library(shiny)  
  library(ABACUS)  
  # Run shiny app  
  shiny_dnorm_dt()  
}
```

shiny_onesampt*Shiny App to Demonstrate One-Sample Student's t-Test*

Description

An interactive Shiny app to demonstrate one-sample Student's t-test.

Usage

```
shiny_onesampt()
```

Details

The interactive Shiny app demonstrates the principles of the hypothesis testing of means in a one-sample design where the population variance is unknown. The true population parameters are provided by the user. The user changes the hypothesised population mean and other features and explores how Student's t-test compares the hypothesised mean with the mean of the sample randomly drawn from the population.

The left panel includes the user inputs for **Simulation Features**, **Population Parameters**, **Sample Characteristics**, and **Distribution Function**. To use the app at first instance, just click the Update button. To alter the input values, edit the text box or move the point on the slider and explore the changes in different tabs (see below).

To obtain identical outcomes in a separate run of the app, set a common seed value at the bottom of the left panel and click Update. All subsequent updates will produce identical results provided other inputs are identical. The seed value is ignored when the option check the box to update instantly is selected.

Value

The outcomes are presented in several tabs.

Population	contains the density plots of the population and rug plots of the sample units randomly drawn from the population. It also includes the population parameter values chosen by the user.
Sample	contains the dot plot and box plot of the sample drawn randomly from the population and rug plot of the sample units. It also includes the mean and standard deviation of the random sample.
Test Statistic	presents the plot showing the mean difference between the sample mean and hypothesised mean and corresponding 95% confidence intervals (CI). The tab also contains the distribution of the test statistic t with the observed value of the test statistic and probabilities under the given value of the Type 1 error
Summary	includes the summary of the sampled data and outcomes from the one-sample Student's t -test. Different sections are: (1) Hypothesis, highlighting the null and alternative hypothesis; (2) Sample, tabulating the full sampled data; (3) Summary Statistics, summarising the summary information of the sample; (4) Test Statistic, presenting the outputs from the one-sample Student's t -test. (5) Confidence Interval, highlighting the mean difference and corresponding 95% confidence intervals (CI).

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Author(s)

Mintu Nath

See Also

Function in base R for normal distribution and t distribution including [dnorm](#), [pnorm](#), [qnorm](#), [rnorm](#), [dt](#), [pt](#), [qt](#), [rt](#) The app [shiny_onesampz](#) performs the hypothesis testing of mean when the population variance is unknown.

Examples

```
if(interactive()){
  library(ggplot2)
  library(shiny)
  library(ABACUS)
  # Run shiny app
  shiny_onesampt()
}
```

shiny_onesampz	<i>Shiny App to Demonstrate One-Sample Z-Test</i>
----------------	---

Description

An interactive Shiny app to demonstrate one-sample Z-test.

Usage

```
shiny_onesampz()
```

Details

The interactive Shiny app demonstrates the principles of the hypothesis testing of means in a one-sample design where the population variance is known. The true population parameters are provided by the user. The user changes the hypothesised population mean and other features and explores how the Z-test compares the hypothesised mean with the mean of the sample randomly drawn from the population.

The left panel includes the user inputs for **Simulation Features**, **Population Parameters**, **Sample Characteristics**, and **Distribution Function**. To use the app at first instance, just click the Update button. To alter the input values, edit the text box or move the point on the slider and explore the changes in different tabs (see below).

To obtain identical outcomes in a separate run of the app, set a common seed value at the bottom of the left panel and click Update. All subsequent updates will produce identical results provided other inputs are identical. The seed value is ignored when the option check the box to update instantly is selected.

Value

The outcomes are presented in several tabs.

Population	contains the density plots of the population and rug plots of the sample units randomly drawn from the population. It also includes the population parameter values chosen by the user.
Sample	contains the dot plot and box plot of the sample drawn randomly from the population and rug plot of the sample units. It also includes the mean and standard deviation of the random sample.
Test Statistic	contains the plot showing the mean difference between the sample mean and hypothesised mean and corresponding 95% confidence intervals (CI). The tab also contains the distribution of the test statistic t with the observed value of the test statistic and probabilities under the given value of the Type 1 error
Summary	includes the summary of the sampled data and outcomes from the one-sample Z-test. Different sections are: (1) Hypothesis, highlighting the null and alternative hypothesis; (2) Sample, tabulating the full sampled data; (3) Summary Statistics, summarising the summary information of the sample; (4) Test Statistic, presenting the outputs from the one-sample Z-test. (5) Confidence Interval,

highlighting the mean difference and corresponding 95% confidence intervals (CI).

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Author(s)

Mintu Nath

See Also

Function in base R for normal distribution including [dnorm](#), [pnorm](#), [qnorm](#), [rnorm](#). The app [shiny_onesampt](#) performs the hypothesis testing of mean when the population variance is known.

Examples

```
if(interactive()){
  library(ggplot2)
  library(shiny)
  library(ABACUS)
  # Run shiny app
  shiny_onesampz()
}
```

shiny_sampling

Shiny App to Explore Properties of Sampling Distributions

Description

An interactive Shiny app to demonstrate properties of the sampling distributions.

Usage

```
shiny_sampling()
```

Details

The interactive Shiny app demonstrates the properties of the sampling distribution. The true population parameter values of the Normal distribution are provided by the user. The user draws many samples from the population with the given sample characteristics and explore the variability of sample means. The app also includes the construction of 95% confidence interval for all samples. Altering the population and sample characteristics, the user can explore the influence of these changes on the sampling distribution.

The left panel includes the user inputs for **Simulation Features**, **Population Parameters**, **Sample Characteristics** and **Distribution Function**. To use the app at first instance, just click the Update

button. To alter the input values, edit the text box or move the point on the slider and explores the changes in different tabs (see below).

To obtain identical outcomes in a separate run of the app, set a common seed value at the bottom of the left panel and click Update. All subsequent updates will produce identical results provided other inputs are identical. The seed value is ignored when the option check the box to update instantly is selected.

Value

The outcomes are presented in several tabs.

Population & Sample

contains the density plots of the population and dot plot of the sample units for the first sample randomly drawn from the population. It also includes the population parameter values are chosen by the user as well as estimates of sample mean and standard deviation based on the first sample.

Sampling Distribution

contains a panel of 8 dot plots based on the sample drawn randomly from the population with given parameters. Each plot depicts the mean and standard deviation of the random sample.

Sample Estimators

contains the histogram of the observed sample means and the empirical distribution of sample means. It also includes the rug plot of all sample means.

Confidence Interval

contains the plot showing the 95% confidence intervals (CI) of all samples. The plot shows the true population mean as a red horizontal line. It also provides the exact number of these estimated CI that include the true population mean.

Summary

includes the summary of the sampled data and outcomes from the one-sample z-test. Different sections are: (1) Sample, tabulating the full sampled data; (2) Sample Distribution, highlighting the expectation of sample mean and sample standard deviation as well as standard error of mean; (3) Confidence Interval, showing the concept of 95% confidence intervals (CI) of mean.

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Also note that under the central limit theorem, the distribution of the sample means will follow normal distribution whatever the distribution of the variable in the population.

Author(s)

Mintu Nath

See Also

Function in base R for normal distribution including [dnorm](#), [pnorm](#), [qnorm](#), [rnorm](#), [sample](#).

Examples

```
if(interactive()){
  library(ggplot2)
  library(shiny)
  library(ABACUS)
  # Run shiny app
  shiny_sampling()
}
```

shiny_twosampt	<i>Shiny App to Demonstrate Two-Sample Independent (Unpaired) Student's t-Test</i>
----------------	--

Description

An interactive Shiny app to demonstrate two-sample independent (unpaired) Student's t-test.

Usage

```
shiny_twosampt()
```

Details

The interactive Shiny app demonstrates the principles of the hypothesis testing of means in a two-sample independent (unpaired) design where the population variances are equal but unknown. The true parameter values are provided by the user. The user changes sample characteristics, distribution function and simulation features and explores the influence of these changes on the hypothesis testing using Student's t-test.

The left panel includes the user inputs for **Simulation Features**, **Population Parameters**, **Sample Characteristics**, and **Distribution Function**. To use the app at first instance, just click the Update button. To alter the input values, edit the text box or move the point on the slider and explore the changes in different tabs (see below).

To obtain identical outcomes in a separate run of the app, set a common seed value at the bottom of the left panel and click Update. All subsequent updates will produce identical results provided other inputs are identical. The seed value is ignored when the option check the box to update instantly is selected.

Value

The outcomes are presented in several tabs.

Population	contains the density plots of two populations and rug plots of the sample units sample units randomly drawn from these populations. It also includes the population parameter values chosen by the user.
Sample	contains the dot plots and box plots of two samples drawn randomly from the two populations and rug plots of the sample units. It also includes the mean and standard deviation of two random samples.

Test Statistic	contains the plots showing the mean difference between two groups and corresponding 95% confidence intervals (CI). The tab also contains a panel of the distribution of the test statistic t with the observed value of the test statistic and probabilities under the given value of the Type 1 error
Summary	includes the summary of the sampled data and outcomes from the one-sample Student's t -test. Different sections are: (1) Hypothesis, highlighting the null and alternative hypothesis; (2) Sample, tabulating the full sampled data; (3) Summary Statistics, summarising the summary information of two samples; (4) Test Statistic, presenting the outputs from independent two-sample Student's t -test. (5) Confidence Interval, highlighting the mean difference and corresponding 95% confidence intervals (CI).

Note

<https://shiny.abdn.ac.uk/Stats/apps/>

Author(s)

Mintu Nath

See Also

Function in base R for normal distribution and t distribution including [dnorm](#), [pnorm](#), [qnorm](#), [rnorm](#), [dt](#), [pt](#), [qt](#), [rt](#)

Examples

```
if(interactive()){  
  library(ggplot2)  
  library(shiny)  
  library(ABACUS)  
  # Run shiny app  
  shiny_twosampt()  
}
```

Index

* package

ABACUS-package, [2](#)

ABACUS-package, [2](#)

anova.lm, [4](#)

aov, [4](#)

df, [4](#)

dnorm, [4](#), [5](#), [7](#), [8](#), [10](#), [11](#), [13](#)

dt, [7](#), [8](#), [13](#)

lm, [4](#)

model.tables, [4](#)

pf, [4](#)

pnorm, [4](#), [5](#), [7](#), [8](#), [10](#), [11](#), [13](#)

pt, [7](#), [8](#), [13](#)

qf, [4](#)

qnorm, [4](#), [5](#), [7](#), [8](#), [10](#), [11](#), [13](#)

qt, [7](#), [8](#), [13](#)

rf, [4](#)

rnorm, [4](#), [5](#), [7](#), [8](#), [10](#), [11](#), [13](#)

rt, [7](#), [8](#), [13](#)

sample, [11](#)

shiny_anova, [2](#), [3](#)

shiny_dnorm, [2](#), [4](#)

shiny_dnorm_dt, [2](#), [6](#)

shiny_onesampt, [2](#), [7](#), [10](#)

shiny_onesampz, [2](#), [8](#), [9](#)

shiny_sampling, [2](#), [10](#)

shiny_twosampt, [2](#), [12](#)

summary.aov, [4](#)

summary.lm, [4](#)